



GRAFFIATO

پرو فایلی





GRV-1



GRV-2



GRV-3



GRV-4



GRV-5



GRV-6



GRV-7




GRV-8



GRV-9



GRV-10



GRV-11



GRV-12



GRV-13



GRV-14



GRV-15



GRV-16



GRV-17



GRV-18



GRV-19



GRV-20



GRV-21



GRV-22



GRV-23



GRV-24

بروفایل

GRAFFIATO

How to use

Surfaces must be clean, sound, and free from fat and dust..Free from all traces of paint and grease that may affect adhesion.
The surface is also treated with Mora primer 100.

Start to use

The package must be stirred well before use to disperse the accumulated large lumps that may form as a result of storage

Thinning Ratio

The product is ready for use, and a percentage of water (1_2)% can be added if the viscosity of the product is high, and that depends on the nature of the application conditions.

Implementation tools

Plastic brow in case of executing the soft size of the product... In the case of medium and coarse size, iron and rapon trowel are used

Coverage

It ranges from 14 to 15 square meters, depending on the size of the granules in the product

Package

(30) kilograms

Storage

12 months under suitable storage conditions

Safety precautions

Avoid contact of the product with the skin.. I wear protection for hands and eyes
In case the material comes into contact with the skin, it is cleaned with soap and water, and in case it comes into contact with the eyes, it is washed with clean, running water... The product is non-flammable

Warning

The product should be kept away from children and the container should not be used as a food storage container

طريقه الاستعمال

يجب أن تكون الأسطح نظيفة وسليمة وخالية من الدهون والغبار.. خالية من كل آثار الطلاء والشحوم التي قد تؤثر على الالتصاق كما يتم معالجة السطح بمادة مورا برايمر ١٠٠

البدء في الاستخدام

لا بد من تقليب العبوة جيدا قبل الاستخدام لتشتيت الكتل الكبيرة المتجمعة التي ربما تتكون نتيجة التخزين

التخفيف

المنتج جاهز للاستخدام ويمكن اضافته نسبة من الماء (١_٢)٪ في حال كانت لزوجة المنتج عالية وذلك يعتمد على طبيعة ظروف التطبيق

أدوات التنفيذ

بروه بلاستيكية في حالة تنفيذ المقاس الناعم من المنتج
وفي حالة تنفيذ المقاس المتوسط والخشن يتم استخدام المالح الحديدي والرابون

التغطية

تتراوح ما بين ١٤ الي ١٥ متر مربع على حسب حجم الحبيبات الموجودة في المنتج

العبوات

كيلو جرام (٣٠)

التخزين

١٢ شهر تحت ظروف تخزينية مناسبة

احتياطات السلامة

تجنب اتصال المنتج مع الجلد.. أردي وقايات لحماية الايد والعيون
في حالة ملامسه ماده للجلد يتم تنظيفها بالماء والصابون وايضا في حالة ملامستها للعين يتم الغسيل بماء نظيف جاري... المنتج غير قابل للاشتعال

تحذير

يجب ابعاد المنتج عن الأطفال ولا يتم استخدام الحاوية كمستودع لحفظ الاغذية



الحمودي لمواد البناء
AL AMOUDI BUILDING MATERIALS



Jeddah:

Tel. 012 6617172

Mob. 0500576450



amoudi.factory@gmail.com



www.amoudi-est.com